

Fitting
Instructions
in each pack

FORTEX CLIC



The Click and Fit Cladding System


 **freefoam**
Building Products

Fortex Clic 180 is an innovative PVC cladding board suitable for a wide variety of home improvement projects and ideal for many external situations.

Featuring a clever tongue and groove style joining mechanism, a subtle embossed textured surface and available in a range of seven attractive subtle colours.

Ingenious Click and Fit joining mechanism

A tongue and groove interlocking joining mechanism to make fitting quick and easy. Simply push together and click - no need for unsightly joint covers.



Fit Horizontally or Vertically

The Fortex Clic system, with its accompanying range of adaptable trims, allows you to fit cladding boards horizontally or vertically.

Ultra Low Maintenance

PVC cladding offers the ultimate fit and forget product. Ultra low maintenance with no painting or re touching needed, just the occasional wipe down with a damp cloth or quick jet wash.

Manageable 3.2 metre boards

Fortex Clic is manufactured in 3.2 metre lengths, made to be easy to handle and transport. Ideal for any home improvement or building professional.



Colour Range



White
RAL No: 9003



Pale Gold
RAL No: 1013




Cement Grey
RAL No: 7047



Storm Grey
RAL No: 7015



Cappuccino
RAL No: 7045



Quartz Grey
RAL No: 7039



Slate Grey
RAL No: 7015



Product Features

- Simple installation thanks to the licensed click & fit interlocking boards
- Fit Horizontally or Vertically
- No butt joints
- Short 3.2m board length - easy to handle and ship
- Attractive subtle brushed pine effect surface
- Can be fixed to any surface, brick, block or render

Fortex Clic 180

Length: 3.2m

Pack of 6

Fitting instructions in each pack

One pack covers 3.49sqm

Product Code: FCG182PEC32

Fitting instructions in each pack

Use in a wide variety of situations

Fortex Clic cladding can be fixed over a range of common building materials including brick, block and render making it the ideal solution for refurbishment and renovation of properties all over the UK.

FORTEX[®]
CLIC

Product Range

Code	Description	Unit	Units per pack	Colours							
				Aluminium Grey	White	Pale Gold	Cement Grey	Storm Grey	Cappuccino	Quartz Grey	Slate Grey
FCG182PEC32	Fortex Clic 180 Board	3.2m	6 x 3.2m		•	•	•	•	•	•	•
FC301E3	2 Part Internal Edge Trim	3m	5		•	•	•	•	•	•	•
FC302E3	Universal Edge Trim	3m	5		•	•	•	•	•	•	•
FC304E3	2 Part External Corner Trim	3m	5		•	•	•	•	•	•	•
FC307E3	2 Part Internal Corner Trim	3m	5		•	•	•	•	•	•	•
FC320E3	45mm Multi Function Trim	3m	5		•	•	•	•	•	•	•
FC311E3	25mm Multi Vented Starter Trim & Cover	3m	1		•	•	•	•	•	•	•
FC3123	25mm Multi Vented Starter Trim	3m	5		•						
FC319E3	2 Part Reveal Liner	3m	1		•	•	•	•	•	•	•
FC318E3	H' Edge/Extension to Reveal Liner	3m	1		•	•	•	•	•	•	•
FCA3063	Drip Trim Aluminium	3m	6	•							
ACSS250	Cladding Screws	30mm	250	•							



Create a Garden Room



Refurbish a Dormer



Technical

DENSITY & WEIGHT

Density: 460kg/m³
Weight per board: 2.62 kg/3.2m
Weight m² 4.50kg/m²

DIMENSIONS & TOLERANCES

Length 3200mm +/- 2 mm NET width 180 mm +/- 0.5 mm
Thickness with leg 17 mm +/- 0.1 mm
Board thickness: 8mm
Pack Coverage = 3.49m²
One pack contains 6 boards

IMPACT

Fortex Clic 180 tested to EN 13245-2 standards.

UV RESISTANCE


Fortex Clic 180 conforms to EN ISO 4892

EXPANSION

Due to the material and the expanded composite technology
Thermal Expansion: $5 \times 10^{-5}/^{\circ}\text{C}$ (DIN53377)
Thermal Conductivity: 0.03 -0.01 W/Mk

FIRE RATING

Reaction to Fire Classification: D-s3, d2/AVM



All specifications, dimensions, descriptions and illustrations contained in any Freefoam sales literature, quotation or pricelist or other advertisement matter are intended merely to present a general idea of the goods we sell. We reserve the right from time to time to make changes which are required to comply with any applicable safety or statutory requirements which do not materially affect the quality or fitness for purpose of the goods you purchase from us.



C & A Building Products
T: 01634 374444
E: cs@cabp.co.uk
Order online at cabp.co.uk

77-83 St James Mill Road, Northampton. NN5 5JP
T: 0800 002 9903 • E: info@freefoam.com
www.freefoam.com